

# **Safety Data Sheet**

Revision Date: 25-July-2016

Issue Date: 14-Oct-2011 Revision Date: 25-Jul-2016 Version 1

## **SECTION 1. IDENTIFICATION**

**Product Identifier** 

Product Names 1st PRIORITY Air Tool Oil / ROLAIR Air Tool Oil

Other means of identification

**SDS #** 7777-070

Product Grades ISO 32

Recommended use of the chemical and restrictions on use

Recommended Use Industrial oils

Details of the supplier of the safety data sheet

**Supplier Address** 

LubeMark PO Box 5360

Houston, TX 77325-5360

**Emergency Telephone Number** 

Company Phone Number 1-281-426-8800

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## **SECTION 2. HAZARDS IDENTIFICATION**

## Classification

Not Classified.

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

### **GHS Label Elements**

Hazard pictograms None Signal Word None Appearance Amber

Appearance Amber Physical State Liquid Odor Slight Hydrocarbon

Hazard statement None

**Precautionary statements** 

General Read label before use. Keep out of reach of children. If medical advice is needed, have product container

or label at hand.

Other The mixture consists of substances capable of producing an aspiration hazard. Aspiration may result in

chemical pneumonia (fluid in the lungs), severe lung damage, respiratory failure, and even death.

Unknown Acute Toxicity <10 percent of the mixture consists of ingredients(s) of unknown acute toxicity.

**Environmental Hazard** See Section 12 for additional Ecological Information.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Revision Date: 25-July-2016

#### **Mixture**

Petroleum oil lubricant base stock with proprietary performance additives mixture.

Chemical Name	CAS No	Weight-%*
Base Oil – Highly Refined Hydrotreated Heavy Paraffinic Distillate	64742-54-7	95 – 99.6
Additive Mixture	Proprietary	0.40 - 7

This product does not contain known hazardous materials at the ≥ 1% level or known carcinogens at the ≥ 0.1% level as defined by 29 CFR 1910.1200.

# **SECTION 4. FIRST-AID MEASURES**

#### **First Aid Measures**

**General Advice**No specific first aid measures are required. Get medical attention if irritation develops and persists.

Eye Contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids

should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention if irritation develops and persists. If material is hot, treat for

thermal burns and take victim to the hospital immediately.

**Skin Contact** Wash off immediately with soap and plenty of water for at least 15 minutes while removing all

contaminated clothing and shoes. Get medical attention immediately if skin discoloration occurs.

**Inhalation** This material is not expected to present an inhalation exposure at ambient conditions.

Ingestion Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate

medical attention or advice.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. Remove all sources

of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

### **Suitable Extinguishing Media**

Use extinguishing media appropriate for surrounding fire.

#### **Unsuitable Extinguishing Media**

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

## Special hazards arising from the chemical

Fire Hazard Not flammable but will support combustion.

**Explosion Hazard** Product is not explosive

**Reactivity** Hazardous reactions will not occur under normal conditions.

## Protective equipment and precautions for firefighters

<sup>\*</sup> If Chemical Name/CAS No is "Proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

7777- 027 - 1ST PRIORITY Air Tool Oil

Safety Data Sheet (SDS)

will be present.

**Firefighting Instructions**Use water spray or fog for cooling exposed containers.

**Protection During Firefighting** Do not enter fire area without proper protective equipment, including respiratory

protection.

Hazardous Combustion Products Under fire conditions, may produce fumes, smoke, oxides of carbon and hydrocarbons.

Other Information

Refer to Section 9 for flammability properties.

#### **Reference to Other Sections**

Refer to Section 9 for flammability properties.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

adequate ventilation. If spilled, take caution, as material can cause surfaces to become

Revision Date: 25-July-2016

very slippery.

For Emergency Responders Equip cleanup crew with proper protection. Stop leak if safe to do so. Eliminate ignition

sources. Ventilate area.

# Methods and material for containment and cleaning up

Dike far ahead of liquid spill to prevent migration and entry into sewers or streams. Residual liquid can be absorbed on inert material and disposed of safely. Contact competent authorities after any spill.

NOTE: If RQ (Reportable Quantity) is exceeded or if spills enter a body of water, report immediately to the USEPA's National Response Center at (800) 424-8802. Check with your local and state regulators regarding their reporting requirements.

#### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

Protective Measures Do not pressure, cut, weld, braze, solder, drill, grind, or expose such containers to heat,

flame, sparks, static electricity, or other sources of ignition; they may explode. See NFPA 30 and OSHA 1910.106 – flammable and combustible liquids. Handle in accordance with

good industrial hygiene and safety procedures.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Store away from heat, sparks, open flame, or strong oxidizing agents in closed and

properly labeled containers. Empty containers retain product residue (liquid, and/or vapor)

and can be dangerous.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Base Oil – Highly Refined	TWA: 5 mg/m³ (mist)	TWA: 5 mg/m³ (mist)	TWA: 5 mg/m³ (mist)
Hydrotreated Heavy Paraffinic	STEL: 10 mg/m³ (mist)	STEL: none estab	STEL: 10 mg/m³ (mist)
Distillate 64742-54-7			

#### **Exposure Controls**

Appropriate Engineering Controls Ensure adequate ventilation, especially in confined areas. Emergency eye wash

fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment Protective goggles. Gloves.





Materials for Protective Clothing Chemically resistant materials and fabrics.

**Hand Protection** Wear chemically resistant protective gloves.

**Eye Protection** Chemical goggles or safety glasses.

**Skin and Body Protection**Wear suitable protective clothing.

**Respiratory Protection**Use a NIOSH-approved respirator or self-contained breathing apparatus

whenever exposure may exceed established Occupational Exposure Limits.

Revision Date: 25-July-2016

**Environmental Exposure Controls**Do not allow the product to be released into the environment.

**Consumer Exposure Controls** Do not eat, drink or smoke during use.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

### Information on Basic Physical and Chemical Properties

Physical State Liquid Appearance Amber

Odor Slight Hydrocarbon
Odor Threshold Not determined

<u>Values</u> **Property** pН Not determined Evaporation Rate Not determined **Melting Point** Not determined **Boiling Point** Not determined Flash Point 204C / 400F **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined Flammability (solid, gas) Not determined Lower Flammable Limit Not determined **Upper Flammable Limit** Not determined Vapor Pressure Not determined Relative Vapor Density at 20 °C Not determined **Relative Density** Not determined Specific Gravity 0.87 - 0.89Solubility Nealiaible

Viscosity, Kinematic Not determined
Explosive Properties Product is not explosive

Explosive Properties Product is not explosive

Explosion Data – Sensitivity to Mechanical Impact
Explosion Data – Sensitivity to Static Discharge

Not expected to present an explosion hazard due to mechanical impact
Not expected to present an explosion hazard due to static discharge

Not determined

Not determined

## **SECTION 10. STABILITY AND REACTIVITY**

#### Reactivity

**Viscosity** 

Not reactive under normal conditions.

Partition Coefficient: N-Octanol/Water

## **Chemical Stability**

Stable under recommended storage conditions.

**5** 

7777- 027 - 1ST PRIORITY Air Tool Oil

Safety Data Sheet (SDS)

Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** 

Hazardous polymerization does not occur.

**Conditions to Avoid** 

Heat, flames and sparks.

**Incompatible Materials** 

Oxidizing agents and open flames.

**Hazardous Decomposition Products** 

Decomposition and combustion products may include: smoke, carbon dioxide, carbon monoxide, and toxic fumes.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Revision Date: 25-July-2016

### **Information on Toxicological Effects**

**Substance Mixture** 

Ī	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
	Base Oil – Highly Refined Hydrotreated Heavy Paraffinic Distillate 64742-54-7	>15000 mg/Kg (rat)	>5000 mg/Kg (rabbit)	2.18 mg/l (rat) 4h

#### **Acute Toxicity**

Test on similar materials show a low order of acute oral and dermal toxicity.

**Acute Oral Effects** Test on similar materials indicates low order of acute toxicity.

Acute Inhalation Effects Low acute toxicity expected on inhalation.

**Skin Effects** Practically non-toxic if absorbed. Other similar highly refined products have not shown skin tumors

in mouse skin painting studies.

**Eye Irritation** Minimal irritation on contact. Eye irritation slightly or practically non-irritating based on similar

products.

**Chronic Toxicity** 

Prolonged exposure may cause chronic effects.

Carcinogenicity
Target Organ Effects

Not considered a potential carcinogen base on IP346 DMSO of less than 3.0 wt%

Respiratory system, Eyes, Skin

**Genotoxicity** This product is considered non-mutagenic and has negative potential for tumor development based

from Modified Ames Assay, with Mutagenic Index of less than 1.0.

# **SECTION 12. ECOLOGICAL INFORMATION**

The information is based on data available for the material, the components of the material, and similar materials.

## **Ecotoxicity**

If applied to leaves, this product may kill grasses and small plants by interfering with transpiration and respiration. This product is not toxic to fish but may coat gill structures resulting in suffocation if spilled in shallow, running water. Product may be moderately toxic to amphibians by preventing dermal respiration. This product may cause gastrointestinal distress to birds and mammals through ingestion during pelage grooming.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal recommendations based on material supplied.

Safety Data Sheet (SDS)

#### **Waste Treatment Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Consult the appropriate state, regional, or local regulations for additional requirements. The generation of waste should be avoided or minimized wherever possible.

**Contaminated Packaging** 

Dispose of in accordance with local regulations.

## **SECTION 14. TRANSPORT INFORMATION**

**General Information** Petroleum Lubricating oil - Not regulated.

**DOT** Not regulated

IATA Not regulated

IMDG/IMO Not regulated

**Special Precautions for User** Transport within user's premises: Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or

Revision Date: 25-July-2016

spillage.

### SECTION 15. REGULATORY INFORMATION

**US Federal Regulations** 

SARA Section 311/312 Hazard Classes Not Classified

**US State Regulations** 

None noted

Canadian Regulations

Canadian Rogalations				
WHMIS Classification	Not Classified			
Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)				
Listed on the Canadian DSL (Domestic Substances List)				
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria			

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

#### SECTION 16. OTHER INFORMATION

 NFPA
 Health Hazards
 Flammability
 Instability/Reactivity

 0
 1
 0

 HMIS
 Health Hazards
 Flammability
 Physical Hazards

 1
 0

(NFPA & HMIS Hazard Rating Key: 0 - Minimum Hazard; 1 - Slight Hazard; 2 - Moderate Hazard; 3 - High Hazard; 4 - Extreme Hazard; \* - Chronic Hazard Indicator, & PPE - Personal Protective Equipment Index A to L. These values are obtained using the guidelines or published evaluations prepared by the National Fire Protection Association (NFPA) or the National Paint and Coating Association (for HMIS or Hazardous Material Identification System).

Key to abbreviations:

OSHA = Occupational Safety and Health Administration ACGIH= American Conference of Industrial Hygienists

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service Registry Number

cSt = Centistroke (mm2/s)

GHS = Global Harmonized System of Classification and Labeling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

LogPow = logarithm of the octanol/water partition coefficient

OEL = Occupational Exposure Limit

SDS = Safety Data Sheet

STEL = Short term exposure Limit

UN = United Nations

UN Number = United Nations Number, a four-digit number assigned by the United Nations Committee of Experts on the Transportation of

Dangerous Goods

7777- 027 - **1ST PRIORITY Air Tool Oil** Safety Data Sheet (SDS)

IMDG = International Maritime Dangerous Goods

Revision Date July 25, 2016

Revision Note New format. All Sections. First version in OSHA SDS format

#### Disclaimer

All reasonably practicable steps have been taken to ensure the information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This information is furnished upon condition that the person receiving it shall make their own determination of the suitability of the material for their particular purpose.

**End of Safety Data Sheet** 

Revision Date: 25-July-2016